

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	218	(operating adj1 mode\$1) and ((address adj1 size) and (operand adj1 size))	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2004/05/26 15:09
		(operating adj1 mode) near4 indicators	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2004/05/26 15:09
		(712/43).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/01 14:51
L2	316	(712/229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/01 14:51
L3	1	("6973562").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/01 14:52
L4	0	(processor and (operating adj1 mode) and (mode adj1 indicators)).clm.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/08/01 16:00
L5	3	((operating adj1 mode) and (mode adj1 indicators)).clm.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/08/01 16:01
L6	0	((operat\$4 adj1 mod\$2) with (mod\$2 adj1 bit\$1) with (address\$3 adj1 size\$1)).clm.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/08/01 16:02
L7	24	((operat\$4 same mod\$2) same (mod\$2 same bit\$1) same (address\$3 same size\$1)).clm.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/08/01 16:02
S1	357	mode adj1 indicators	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2004/05/26 15:07
S2	63	(operating adj1 mode) and (mode adj1 indicators)	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2004/10/14 15:38

## EAST Search History

S3	63	(operating adj1 mode) and (mode adj1 indicators)	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/08/01 16:01
S4	26	processor and (operating adj1 mode) and (mode adj1 indicators)	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/08/01 16:00
S5	8	(operating adj1 mode) near4 (mode adj1 indicators)	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2004/05/26 15:08
S6	231	(operat\$4 adj1 mod\$2) near4 (mod\$2 adj1 bit\$1)	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/08/01 16:01
S7	113	(operating adj1 mode) and (("16" adj1 bits) near4 ("32" adj1 bits))	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2004/05/26 15:09
S8	81	(operating adj1 mode\$1) and (mode adj1 indicators)	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2004/05/26 15:09
S9	42	processor and (operating adj1 mode\$1) and (mode adj1 indicators)	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2004/05/26 15:09
S10	3	(segment adj1 selector\$1) near4 (entries)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/26 15:13
S11	0	(adjacent adj1 memory adj1 locations) near4 ("64"?bit)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/26 15:16
S12	0	(adjacent adj1 memory) near4 ("64"?bit)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/26 15:15
S13	0	(adjacent adj1 memory) near4 ("64" adj1 bit)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/26 15:16
S14	35	(memory adj1 locations) near4 ("64" adj1 bit)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/26 15:15

## EAST Search History

S15	335	adjacent adj1 memory adj1 locations	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/26 15:16
S16	0	(adjacent adj1 memory adj1 locations) near4 (large adj1 data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/26 15:31
S17	73	(adjacent adj1 memory adj1 locations) near4 (data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/26 15:18
S18	27	(floating adj1 point) near4 (memory adj1 locations)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/26 15:19
S19	0	(memory adj1 locations) near4 (large adj1 data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/26 15:32
S20	7	(memory adj1 locations) with (large adj1 data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/26 15:36
S21	26	(memory adj1 locations) same (large adj1 data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/26 15:47
S22	120	(double adj1 word) near4 storage	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/26 15:52
S23	11	(double adj1 word) near4 storage near4 locations	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/26 15:52
S24	827	instruction adj1 translat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/26 16:02
S25	4	software near4 instruction adj1 translat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/26 16:02
S26	0	software adj1 instruction adj1 translat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/26 16:02

## EAST Search History

S27	13	software near4 (instruction adj1 translat\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/26 16:02
S28	197	(712/43).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/10/14 15:38
S29	258	(712/229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/10/14 15:38
S30	16	(operat\$3 adj1 mod\$2) near4 (address\$2 adj1 siz\$3)	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2004/10/14 16:05
S31	18	(operat\$3 adj1 mod\$2) with (address\$2 adj1 siz\$3)	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2004/10/14 16:06
S32	29	(operat\$3 adj1 mod\$2) same (address\$2 adj1 siz\$3)	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2004/10/14 16:08
S33	58	mod\$2 near4 (address\$2 adj1 siz\$3)	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2004/10/14 16:14
S34	29	mod\$2 near4 (address\$2 adj1 siz\$3) near4 (indicat\$4 or bit\$1 or set\$5)	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2004/10/14 16:24